

Trusted worldwide by organisations of all sizes, the Asure ID® suite of products offer photo ID and ID card application control software solutions that are easy to learn, feature rich and capable of enabling the

## next generation of ID card applications.

### Asure ID Solo™

Asure ID Solo™ is great for organisations looking for an entry level photo ID card software that provides quick and easy single sided card design and print production.

### Asure ID Express™




Asure ID Express™ is the ideal choice for organisations looking for an affordable, powerful, and easy-to-use stand alone photo ID card software with advanced card design and batch printing capabilities.

### Asure ID Enterprise™

Asure ID Enterprise™ is the perfect photo ID card software for organisations that operate over a corporate network. Multiple operators and different departments can easily create, update and maintain multiple shared records in real time.

### Asure ID Exchange™

Asure ID Exchange™ is the perfect photo ID and ID card application control software for organisations seeking intuitive card design, data management and advanced card personalisation. Powerful integration, enrollment and encoding modules ensure a quick and seamless gateway with other existing database and network applications.



## Solo


## Express

## Enterprise

## Exchange

| General Information   | Asure ID Solo   | Asure ID Express  | Asure ID Enterprise   | Asure ID Exchange  |
|---|---|---|---|--|
| Description   | Great for organizations looking for an entry level photo ID card software that provides quick and easy single sided card design and print production. | The ideal choice for organizations looking for an affordable, powerful, and easy-to-use stand alone photo ID card software with advanced card design and batch printing capabilities. | The perfect photo ID card software for organizations that operate over a corporate network. Multiple operators and different departments can easily create, update and maintain multiple shared records in real time. | The perfect photo ID and ID card application control software for organisations seeking intuitive card design, data management and advanced card personalization. Powerful integration, enrollment and encoding modules ensure a quick and seamless gateway with other existing database and network applications. |
| Runs on Windows 98, NT, 2000, XP  | ◆   | ◆   | ◆   | ◆  |
| Support for multi user logon  |   | ◆   | ◆   | ◆  |
| Username and password protected   |   | ◆   | ◆   | ◆  |
| Smart Card Access & Security  |   | Optional  | Optional  | Optional   |
| Internet Enabled for primary or backup card production  |   | ◆   | ◆   | ◆  |
| Available in English & Spanish Languages  | ◆   | ◆   | ◆   | ◆  |
| User's Guide, Online/Offline Help   | Offline Help  | ◆   | ◆   | ◆  |
| QuickStart Guide (Hard Copy)  |   | ◆   | ◆   | ◆  |
| Asure ID Protect Annual Maintenance Plan  |   | Optional  | Optional  | Optional   |
| Database And Networking   | Asure ID Solo   | Asure ID Express  | Asure ID Enterprise   | Asure ID Exchange  |
| Includes fully configured MS Access 97 database   |   | ◆   | ◆   | ◆  |
| Native support for MS SQL Server 7.0 & 2000   |   |   | ◆   | ◆  |
| Full support for network configuration over a LAN/WAN   |   |   | ◆   | ◆  |
| Real time mapping & synchronization with third party databases (MS Access (95-2000), MS SQL Server (97-2000), MySQL, Oracle, DB2 and Foxpro) and applications |   |   |   | ◆  |
| Cost effective site licensing program for large organisations that require multiple data enrollment, management and verification stations                     |   |   | ◆   | ◆  |
| Admin Center  | Asure ID Solo   | Asure ID Express  | Asure ID Enterprise   | Asure ID Exchange  |
| Add user with definable user rights and privileges  |   | ◆   | ◆   | ◆  |
| Register user with an Asure ID Card Service Bureau for primary or backup card production  |   | ◆   | ◆   | ◆  |
| Update user   |   | ◆   | ◆   | ◆  |
| Delete user   |   | ◆   | ◆   | ◆  |
| Set IP address or URL of Asure ID Card Service Bureau   |   | ◆   | ◆   | ◆  |
| Set smart card reader   |   | Optional  | Optional  | Optional   |
| Card Design Center  | Asure ID Solo   | Asure ID Express  | Asure ID Enterprise   | Asure ID Exchange  |
| Create, save and store unlimited new card templates   | One Template  | ◆   | ◆   | ◆  |
| Remove inactive templates   | ◆   | ◆   | ◆   | ◆  |
| Import Card Templates   |   | ◆   | ◆   | ◆  |
| Export Card templates   |   | ◆   | ◆   | ◆  |
| Supports CR80, CR90, CR100 and Custom landscape and portrait card designs   | CR80  | ◆   | ◆   | ◆  |
| Easily customize field names  | ◆   | ◆   | ◆   | ◆  |
| Support for variable text, number, date, list, true/false and label (static) data fields  | Text & Label only - maximum of 8 data fields  | ◆   | ◆   | ◆  |
| Support for non printed data fields   |   | ◆   | ◆   | ◆  |
| Add and set properties of multiple drawing objects (line, rectangle, round rectangle, ellipse and polygon)  | ◆   | ◆   | ◆   | ◆  |
| Add multiple backgrounds  | Maximum of 1 background   | ◆   | ◆   | ◆  |
| Add multiple logos  | Maximum of 2 logos  | ◆   | ◆   | ◆  |
| Add multiple photos   | Maximum of 1 photo  | ◆   | ◆   | ◆  |
| Add multiple signatures   |   | ◆   | ◆   | ◆  |
| Add multiple fingerprint images   |   | ◆   | ◆   | ◆  |
| Add and define multiple linear barcodes   | Maximum of 1 barcode  | ◆   | ◆   | ◆  |
| Add and define multiple 2D barcodes   |   | ◆   | ◆   | ◆  |
| Add and define an ISO, Non-ISO or customized magnetic stripe  |   | ◆   | ◆   | ◆  |
| Add and define the file structure and what data is to be encoded in a contact or contactless smart chip (including HID iClass)                                |   |   | ◆   | ◆  |
| Customize and define an image editor  |   | ◆   | ◆   | ◆  |
| Support for undo and redo operations  | ◆   | ◆   | ◆   | ◆  |
| Cut, copy and paste   | ◆   | ◆   | ◆   | ◆  |
| Show and define grid  |   | ◆   | ◆   | ◆  |
| Auto snap to grid   |   | ◆   | ◆   | ◆  |
| Show all objects for quick and precise editing  |   | ◆   | ◆   | ◆  |
| Show all data entries for quick and precise editing   |   | ◆   | ◆   | ◆  |
| Define duplicate card record criteria   |   | ◆   | ◆   | ◆  |
| Set default field properties  |   | ◆   | ◆   | ◆  |
| Field formatting options with prefix, suffix and definable sequential counter   |   | ◆   | ◆   | ◆  |
| Set default field value   |   | ◆   | ◆   | ◆  |
| Set mandatory field entry   |   | ◆   | ◆   | ◆  |
| Set maximum and minimum field character length  | ◆   | ◆   | ◆   | ◆  |
| Set horizontal and vertical justification   | ◆   | ◆   | ◆   | ◆  |
| Set field orientation in degrees (0 - 360)  | Barcodes  | ◆   | ◆   | ◆  |
| Set frame color and width   | ◆   | ◆   | ◆   | ◆  |
| Set background field color  | ◆   | ◆   | ◆   | ◆  |
| Set font type, style, size and color  | ◆   | ◆   | ◆   | ◆  |
| Set and enable word wrap  | ◆   | ◆   | ◆   | ◆  |



|  | Solo                 | Express                 | Enterprise                 | Exchange                 |
|--|----------------------|-------------------------|----------------------------|--------------------------|
| Set and enable auto reduce font size   |                      | ◆                       | ◆                          | ◆                        |
| Field concatenation  |                      | ◆                       | ◆                          | ◆                        |
| Set and force upper case data entry  |                      | ◆                       | ◆                          | ◆                        |
| Set and enable conditional display and print of data fields, drawing objects, logos, backgrounds, photographs and barcodes   |                      | ◆                       | ◆                          | ◆                        |
| Set and enable transparency  |                      | ◆                       | ◆                          | ◆                        |
| Set and enable chromokey   |                      | ◆                       | ◆                          | ◆                        |
| Set and enable maintain aspect ratio   | ◆                    | ◆                       | ◆                          | ◆                        |
| Object and field layering  | ◆                    | ◆                       | ◆                          | ◆                        |
| <b>Data Entry Center</b>   | <b>Asure ID Solo</b> | <b>Asure ID Express</b> | <b>Asure ID Enterprise</b> | <b>Asure ID Exchange</b> |
| Quickly access first, previous, next and last card records   |                      | ◆                       | ◆                          | ◆                        |
| Set sort order of displayed records  |                      | ◆                       | ◆                          | ◆                        |
| Easily add, edit, save and void card records   | Add                  | ◆                       | ◆                          | ◆                        |
| Easily discard card record changes   |                      | ◆                       | ◆                          | ◆                        |
| Quickly 'show all' or 'show selected' card records   |                      | ◆                       | ◆                          | ◆                        |
| Customizable 'quick find' utility powered by keyboard, magstripe or barcode reader   |                      | ◆                       | ◆                          | ◆                        |
| Set global or select 'batch update' of card records  |                      | ◆                       | ◆                          | ◆                        |
| Easily recognizable icons to indicate card status (printed, sent, void and linked)  |                      | ◆                       | ◆                          | ◆                        |
| Template binding to easily share card record information   |                      | ◆                       | ◆                          | ◆                        |
| Canned and custom report writer  |                      | ◆                       | ◆                          | ◆                        |
| Set properties of print button   |                      | ◆                       | ◆                          | ◆                        |
| Quickly turn auto crop on or off   | ◆                    | ◆                       | ◆                          | ◆                        |
| Intuitive query tools to quickly select card records   |                      | ◆                       | ◆                          | ◆                        |
| Advanced settings mag stripe encoding  | ◆                    | ◆                       | ◆                          | ◆                        |
| Enable smart card security to lock system while away from the computer   |                      | Optional                | Optional                   | Optional                 |
| Advanced settings for smart chip encoding  |                      |                         | ◆                          | ◆                        |
| Local desktop smart card encoding (no printer required)  |                      |                         | Optional                   | Optional                 |
| Delete Templates   | ◆                    | ◆                       | ◆                          | ◆                        |
| <b>Printing</b>  | <b>Asure ID Solo</b> | <b>Asure ID Express</b> | <b>Asure ID Enterprise</b> | <b>Asure ID Exchange</b> |
| Set and maintain default card printer properties   | ◆                    | ◆                       | ◆                          | ◆                        |
| Set and maintain default report printer properties   |                      | ◆                       | ◆                          | ◆                        |
| Support for multi sheet layout and printing  |                      | ◆                       | ◆                          | ◆                        |
| Support for single sided card printing   | ◆                    | ◆                       | ◆                          | ◆                        |
| Support for dual sided card printing   |                      | ◆                       | ◆                          | ◆                        |
| Support for printing in landscape and portrait modes   | ◆                    | ◆                       | ◆                          | ◆                        |
| Support for batch printing in definable order  |                      | ◆                       | ◆                          | ◆                        |
| Support for K panel printing   |                      | ◆                       | ◆                          | ◆                        |
| Support for dossier layout and printing  |                      | ◆                       | ◆                          | ◆                        |
| Support for primary or backup Internet printing through an Asure ID Card Service Bureau  |                      | ◆                       | ◆                          | ◆                        |
| WYSIWYG ("what you see is what you get") real time print preview   | ◆                    | ◆                       | ◆                          | ◆                        |
| Contact and contactless smart card read/write encoding through local or network printer (includes support for HID iClass)  |                      |                         | ◆                          | ◆                        |
| <b>Import/Export</b>   | <b>Asure ID Solo</b> | <b>Asure ID Express</b> | <b>Asure ID Enterprise</b> | <b>Asure ID Exchange</b> |
| Archive all or selected card records as an .mdb file   |                      | ◆                       | ◆                          | ◆                        |
| Delete all or selected card records after archive  |                      | ◆                       | ◆                          | ◆                        |
| Restore card records from archive  |                      | ◆                       | ◆                          | ◆                        |
| Easily import from any ODBC compliant database   |                      | ◆                       | ◆                          | ◆                        |
| Import wizard supports single and batch import of data, photos and signatures  |                      | ◆                       | ◆                          | ◆                        |
| Easily ODBC Export   |                      |                         | ◆                          | ◆                        |
| Export wizard supports single and batch export of data, photos and signatures  |                      |                         | ◆                          | ◆                        |
| <b>Image Capture</b>   | <b>Asure ID Solo</b> | <b>Asure ID Express</b> | <b>Asure ID Enterprise</b> | <b>Asure ID Exchange</b> |
| Easily configure image compression for more efficient storage and transmission of card records   | ◆                    | ◆                       | ◆                          | ◆                        |
| Capture photograph from standard Windows file (.jpg .bmp .tif) or from any Twain compliant camera or scanner   | ◆                    | ◆                       | ◆                          | ◆                        |
| Capture photograph from fully integrated Asure ID Imago digital camera   | ◆                    | ◆                       | ◆                          | ◆                        |
| Capture signature from standard Windows file (.jpg .bmp .tif) or from any Twain, Wintab or Penware compliant signature tablet  |                      | ◆                       | ◆                          | ◆                        |
| Capture fingerprint image from standard Windows file (.jpg .bmp .tif) or from any Twain compliant fingerprint scanner  |                      | ◆                       | ◆                          | ◆                        |
| Capture and store multiple photographs, signatures and fingerprint images per card record  | One Photograph       | ◆                       | ◆                          | ◆                        |
| <b>Hardware</b>  | <b>Asure ID Solo</b> | <b>Asure ID Express</b> | <b>Asure ID Enterprise</b> | <b>Asure ID Exchange</b> |
| Support for most all Windows compliant printers  | ◆                    | ◆                       | ◆                          | ◆                        |
| Support for most all Twain compliant cameras and scanners, and fingerprint scanners  | Twain Cameras        | ◆                       | ◆                          | ◆                        |
| Fully integrated support for the Asure ID Imago digital camera   | ◆                    | ◆                       | ◆                          | ◆                        |
| Support for most all Twain, Wintab and Penware signature tablets   |                      | ◆                       | ◆                          | ◆                        |

\*AICSB = Asure ID Card Service Bureau

### Save Valuable Time and Money with Asure ID Protect!

Asure ID Protect is a comprehensive customer care program designed to ensure that users receive the highest level of priority customer support with their Asure ID products.




### About Synercard

Committed to providing intuitive, fully interoperable photo ID and ID card application control software solutions, Synercard's trusted offerings enable organizations of any size anywhere to create, manage and verify an individual's identity.

With over 10,000 customers, Synercard works with an international distribution channel to provide quality products and services.

Synercard is a member company of HID Global, a leading supplier and manufacturer in the access control industry, serving customers worldwide with proximity and contactless smart card technologies; central station managed access controllers; secure and custom card solutions; photo ID and ID application control software; and electronic cylinders.



| General   | Solo       | Express                   | Enterprise                | Exchange |
|---|------------|---------------------------|---------------------------|----------|
| Password logon with definable user privileges               |            | ◆                         | ◆                         | ◆        |
| Language plug-in  | ◆          | ◆                         | ◆                         | ◆        |
| Native support for MS Access/SQL                            | MS Access  | MS Access                 | ◆                         | ◆        |
| Networkable   |            |                           | ◆                         | ◆        |
| Internet enabled <sup>1</sup>                               |            |                           |                           |          |
| Card Design   |            |                           |                           |          |
| Dual sided template designs                                 | Single/5   | ◆                         | ◆                         | ◆        |
| Supports all field types                                    | Text/Label | ◆                         | ◆                         | ◆        |
| Add data fields   | 8          | ◆                         | ◆                         | ◆        |
| Add photo fields  | 1          | ◆                         | ◆                         | ◆        |
| Add signature fields  |            | ◆                         | ◆                         | ◆        |
| Import logos  | 1          | ◆                         | ◆                         | ◆        |
| Add linear barcodes   | 1          | ◆                         | ◆                         | ◆        |
| Add 2D barcodes   |            |                           | ◆                         | ◆        |
| Add magnetic stripe   | ◆          | ◆                         | ◆                         | ◆        |
| SmartGate™ (smart chip application management) <sup>2</sup> |            |                           |                           | ◆        |
| Set conditional design and print rules                      | ◆          | ◆                         | ◆                         | ◆        |
| Data Entry  |            |                           |                           |          |
| Save and search records                                     | 200        | ◆ <sup>3</sup>            | ◆                         | ◆        |
| Dual Sided Printing   | Single     | ◆                         | ◆                         | ◆        |
| Batch Printing  |            | ◆                         | ◆                         | ◆        |
| SmartGate™ (chip card encoding)                             |            |                           |                           | ◆        |
| Integrated photo capture                                    | ◆          | ◆                         | ◆                         | ◆        |
| Integrated signature capture                                |            | ◆                         | ◆                         | ◆        |
| ODBC import/export  |            | Import                    | ◆                         | ◆        |
| Live Link™ (Real time data exchange) <sup>4</sup>           |            | Single Table <sup>5</sup> | Single Table <sup>6</sup> | ◆        |
| Custom Reports  |            | ◆                         | ◆                         | ◆        |
| Asure ID Protect  |            |                           |                           |          |
| Two (2) year unlimited technical support <sup>7</sup>       |            | ◆                         | ◆                         | ◆        |

1. Send cards to an Asure ID Card Service Bureau for backup or primary card production.
2. Manage and control card access formats, smart cards, card applications and biometrics.
3. Storage limitations based on MS Access
4. Multi table bi-directional data exchange with third party databases and applications (MS Access/SQL, MySQL & Oracle 9i)
5. MS Access - single table only
6. MS Access/SQL - single table only
7. Product number: 93-20-110-04-022/93-20-110-01-032/93-20-110-07-042

#### Minimum System Requirements

- 600Mhz Intel or AMD CPU
- 128MB RAM
- 2MB Video Card
- SVGA Monitor at 800 x 600 Resolution
- CD-ROM Drive
- Microsoft Internet Explorer 6.0
- MS Windows 2000 (requires Service Pack 2 or higher) or MS Windows XP (requires Service Pack 2 or higher)

Designed and built to ISO 9001 certification standards. All specifications are subject to change without notice.